
PROFESSIONAL EXPORTER AND MANUFACTURER





CONTENTS



HUANHUA YONGSHUN HARDWARE PRODUCT CO., LTD

---YOUR TRUSTWORTHY CO-WORKER


Company Profile

YS Hardware Product co., LTD established in 2013, produces metal products used in expressway, railway construction, garden, farm, orchard, commercial and industrial facilities and many other fields. Such as double wire fence, 3D mesh fence, garden gabion, garden gate, decorative garden fence, and many more other related metal products. Since our company has been established we strict with fully control with raw materials, production and finished products ' inspection, increasing our standard for producing and exporting metal products we can offer you quality product with completive price and reliable service, our products are well received by Germany, UK, Australia, and other European countries' customer.

Purchasing is not easy work, except lower price, customer always pay more attention on products quality, so our worker always obey integrity-based, quality-oriented .We know clearly that the most important is customer's require, thanks to our 10 years exporting experience, we can know your needs and markets clearly .We can give your more comfortable purchase experience besides quality product and low price. We welcome you inquiry in mail, sample or drawing. YS hardware will always continue to provide extra value in its products – be it for new or existing customers. Welcome your offer in mail, sample or drawing. Our goal is to successfully integrate beauty, security and strength to produce the ideal product for all projects.

-----ONLY QUALITY PTODUCTS&SERVICE

Main Product





INTEGRITY PROFESSIONAL AND EFFICIENT





Chain Link Mesh Fence

Chain link fence also known as square mesh, woven mesh fence, is manufactured with hi-tensile wire. The chain-link fence no need for on-site welding or fabrication, people can stretch the woven mesh to cover uneven terrain, installed easily and fast. Smoothly and uniformly zinc coating not corrodes or rust for a period of 10 years, minimal your maintenance cost. Smaller mesh openings offering an unobstructed view, minimize the possibility facilitate climbing and cutting, supply you maximum protection, ensures your security of the property. Choose us you can get a complete line of gates and accessories. All fence type and details depending on your specific use and security requirements.



Materials: High quality mild steel wire, stainless steel wire, aluminum alloy wire, PVC wires, galvanized wire

Fence Type: Galvanized chain link fence, PVC coated chain link fence

Features: Smooth surface, durable, knit simple and elegant appearance. Easy to transport and install. PVC chain link fences have different colors with decorative and antiseptic features in harmony with environment.

Common Chain Link Uses: Dog and pet control fencing; Deer proofing gardens and land; Sports ground and school fencing; Garden fences and boundaries.

Specification Details

50mmx50mm (2")

60mmx60mm (2.4")

PVC Coated Chain Link Mesh				
Mesh Size	Wire Diameter	Width	Length	
40mmx40mm (1.5")	2.8mm3.8mm			
50mmx50mm (2")	3.0mm5.0mm			
60mmx60mm (2.4")	3.0mm5.0mm	0.5m4.0m	5m-25m	
80mmx80mm (3.15")	3.0mm5.0mm			
100mmx100mm (4")	3.0mm5.0mm			
Galvanized Chain Link Mesh				
Mesh Size	Wire Diameter	Width	Length	
40mmx40mm (1.5")	1.8mm3.0mm			


80mmx80mm (3.15") 2.5mm-4.0mm 100mmx100mm (4") 2.5mm-4.0mm

1.8mm-3.5mm


1.8mm-4.0mm

0.5m--4.0

5m-25m
























Welded Wire Mesh Fence


Welded mesh fencing comprises with high quality low carbon steel wires electrically welded together, more rigid than woven fences. You can easily erected welded mesh fence on a wide array of surfaces, enable condensed cycle time of slab casting, enhanced your on-site efficiency, save your construction time, use this fence you don't need to worry about head-on hit from large animals, As manufacturer we offer you Factory Direct Price and Customization Service. All welded mesh fencing supply with full range of gates, posts and accessories. With just one investment, you can use the product last permanently, no more maintenance work, rather cost-effective, ideal for premises requiring high security project. The finished welded wire mesh offer flat and uniform surface, firm structure, good integrity. The welded wire mesh can be galvanized, PVC coated, or stainless steel welded wire mesh




Specification of Welded Wire Mesh			
Opening		Wire Diameter(BWG)	
In inch	In metric unit(mm)		
1/4" x 1/4"	6.4mm x 6.4mm	22,23,24	
3/8" x 3/8"	10.6mm x 10.6mm	19,20,21,22	
1/2" x 1/2"	12.7mm x 12.7mm	16,17,18,19,20,21,22,23	
5/8" x 5/8"	16mm x 16mm	18,19,20,21	
3/4" x 3/4"	19.1mm x 19.1mm	16,17,18,19,20,21	
1" x 1/2"	25.4mm x 12.7mm	16,17,18,19,20,21	
1-1/2" x 1-1/2"	38mm x 38mm	14,15,16,17,18,19	
1" x 2"	25.4mm x 50.8mm	14,15,16	
2" x 2"	50.8mm x 50.8mm	12,13,14,15,16	


Technical Note:


- 1,Standard roll length: 30m;width: 0.5m to2m
- 2, Special specifications can be made according to customers requires.
- 3, Packing: in waterproof paper in rolls. Custom packing available at request.




















Double Wire Mesh Fence

Double wire fence is a flat panel, constructed from double horizontal wires and a vertical wire which can create a strong rigid fence when fitted to a RHS post or SHS post. Double Wire fence are also named as 2D fence panel, double rod fence panel or double rod gratings (grid fencing). Double wire fencing is a rigid yet unobtrusive mesh fencing system. It is often used as a perimeter fence for industrial or commercial premises and sport pitches where a strong mesh fencing system is require




Material: Using high quality Iron Rod as raw material, the welded panel, after galvanization, powders primer, and powders top coating; it can resist the corrosive and ultraviolet radiation very strongly. The thickness of powder coating is 100 - 120 microns usually.

Post of double wire fence:

This System usually choose square post (50 \times 50 mm, 60 \times 60 mm), rectangular post (80 \times 60 \times 2. 5 mm, 120 \times 60 \times 3 mm) with the high strength and so on. With plastic caps or Roofing rain hat. The finished surface usually is

galvanized and powder coating, or alternatively.

Fastenings: The Panels and posts are jointed together with bolts or rivets, using the steel flat bar or special steel clamps, all nuts are self-locking. This also can be designed as the special clients' requests



Welded Double Wire Mesh Fence			
Fence Panel	Wire Diameter (Common Wire Type)	8/6/8mm, 6/5/6mm, 5/4/5mm, and material is Q195, Q235	
	Mesh Size	50*200mm /55*200mm/50*150mm/55*100mm, can be customized	
	Panel height	From 0.4m - 3.03m	
	Panel Width	2.0m, 2.5m as standard	

INTEGRITY PROFESSIONAL AND EFFICIENT

	Surface Treatment	Hot-dipped Galvanized then PVC coating Electric Galvanized then PVC coating Hot-dipped Galvanized
Fence Post	Dimensions of Type	Rectangle post/Rectangle post/Peach post/Round post, material is Q195-Q235, most common is 60x40mm post: Post (4 options with different sections) •60x60mm and 50x50mm SHS steel Post •40x60mm RHS steel post •50x70 and 70x100 Peach shape post •48mm and 60mm Round section post
	Surface Treatment	Hot-dipped Galvanized then PVC coating Hot-dipped Galvanized
Fence Acces sories	Clips/Clamps (Link Post and Panel)	Metal Clips and Plastic Clips, there are over 6 type as choice
	Rainhat or caps for posts	Metal caps or plastic caps















3D Mesh Fence

3D mesh fence also called triangular bending fence ,curvy wire mesh fence ,3D security fence, security fencing, it is one kind of the welded mesh fences, formed by the iron wires, electronic galvanized wires, or hot dipped galvanized wires, which are bended to the suitable angle first, and then will be joined together by the welding of the welded mesh machine. After welding, there will be some more extra process to finish such as the coating, the PVC, etc. this fences are mainly used in parks, zoo fences, campuses, field boundaries, road traffic isolation, and temporary isolation zones. The specifications of highway fences are various, according to different terrain, different drawings are designed, and the production is evaluated according to the drawings.

The curvy wire mesh fence system is consisted of wire mesh fence panel and post, and the two parts are connected together with accessories.



Triangular Bending Fence Details				
Wire thickness	Mesh Opening	Height	Folds No.	Length
Galvanized +				
Powder Painted				
3.8mm/4.0mm				
4.8mm/5.0mm	50*200mm	2030mm	4	1.5m
5.8mm/6.0mm	55*200mm	2230mm	4	1.8m
Galvanized +	50*100mm	2430mm	4	2.0m
PVC Coated	55*100mm	1730mm	3	2.5m
3.0mm/4.0mm	50*150mm	1530mm	3	3.0m
4.0mm/5.0mm	55*150mm	1230mm	2	
5.0mm/6.0mm		1030mm	2	
Hot dipped				
Galvanized				
Color	RAL 6005(Green), RAL 9005(Black), RAL 7016(Gray), RAL			
	9010(White), Ral8014(Brown)			
Post	Round post, Square Post, Rectangular Post, Peach Post			
Other specifications are also available, all can be customized.				


FEATURER

- High strength and rigidity because of its triangular bending structure.
- Firm structure and strong welding spot for durability.
- Corrosion, rust and weather resistance.
- High adaptability, which makes the fence can be installed in various ground,
 such as concrete, sandy, or rocky ground, etc..
- Easy to install, the curved fence panel can be connected with the post easily.
- Beautiful appearance, V-shape bending and various colors.
- Long service life, because of its firm structure and good coating corrosion resistance.



















Anti-Climb Fence /358 mesh fence

Anti-Climb Fence is another names are high security fence, anti-cut fence, clear vu fence or "PRISON MESH" or 358 wire mesh fence, it is a special fencing panel we can make in our city, this production offers the best value for performance, durability and appearance.'358' comes from its measurements $3'' \times 0.5'' \times 8$ gauge which equates to approx. $76.2 \text{ mm} \times 12.7 \text{ mm} \times 4 \text{ mm}$ in metric.358 mesh fence is wildly used for the places need high security protection, such as prison, military zone and other places need or have lower security control.

Mesh fencing specially configured to provide maximum visibility, especially used for emergency and electronic detection systems.358 Wire mesh fence is a professional structure designed for high security environments, combined with an steel framework, coated with heavily zinc or RAL color Powder coating



Type: electric galvanized, hot-dip galvanized, PVC spraying and PVC coating. **Surface treatment**: Forms of corrosion resistance include electric galvanizing, and, PVC spraying and PVC coating. Good corrosion resistance, anti-aging, nice appearance, easy and quick installation.

Features:


Anti-climbing: more small openings, no toe or finger holds.

Anti-cut: robust wire and welded joints make cutting very difficult by bolt cutters and wire cutters.

High strength welded at each intersection.


Durable: covering Galfan and polymer powder coating ensure a long service life

Anti-Climb Fence Details			
Panel size	Post size	Post Height	Clamp
H*W (mm)	L*W*T(mm)	Fost Height	Inter/Corners
2000*2400	60*60*2.5mm	2700	7/14
2400*2515	60*60*2.5mm	3100	9/18
2997*2515	80*80*2.5mm	3800	11/22
3607*2515	100*60*3mm	4500	13/26
4204*2515	100*100*4mm	5200	15/30
4496*2515	100*100*5mm	5500	16/32
5207*2515	120*120*5mm	6200	18/36



















Roll Top Fence

Roll top fence also can be call BRC fence or double loop wire mesh fence. It is a special welded wire mesh fence with a triangular roll top structure at its top and bottom. In fact, the name of "roll top fence" is derived from this .BRC fence is manufactured by bending the top and bottom on the basis of normal welded wire mesh fence. Except for that, BRC fence adopts the steel wires with larger diameter to resist external shocks. And the precise mesh structure guarantees a good view so that you can see whatever you want to see even at night. The panels have an attractive, unique and "user friendly" closed beam section located along the top and bottom edge of the panel, with no sharp or raw edges Currently, roll top fence is widely used in the regions of Singapore, Japan, South Korea and Southeast Asia. High-strength steel wires and an unique bending edges ensure its high safety; in addition, the structure on the top and bottom makes it more soft and beautiful to attract people's attention.



Material: low carbon steel wire Q195, Q235.


Surface treatment:

- Hot dipped galvanized (505 g/m2).
- Electro galvanized (zinc coating: 8-12 g/m2) then PVC/PE coated (thickness:
 0.8-1.2 mm).
- Electro galvanized (zinc coating: 8–12 g/m2) then polyester powder coating (thickness: 0.1 mm).
- Accessories: post and clamp system
- Post Material: square steel pipe, round steel pipe.
- Surface treatment: electric galvanized, hot dipped galvanized, polyester powder coating.
- Thickness: 1.5, 2.0, 2.5 mm.
- Height: according to the panel height.
- Post Type: round post, square post.

Dimension

Round post diameter: 48, 60 mm.
 Square post size: 50 × 50, 60 × 60 mm

Common specs. of Galvanized BRC mesh fence							
Wire Diameter	Mesh Size	Length	Height	Round Post Size	Square Post Size		
4.0mm	50x100mm	2000mm	1030mm	48x1.5/2.0mm	60x1.5mm		
5.0mm	50*150mm	2200mm	1230mm	60x1.5/2.0mm	60x2.0mm		
6.0mm	50x200mm	2500mm	1530mm		60x2.5mm		
	75*200mm		1830mm				
	100x200mm		2030mm				
	100x300mm		2230mm				







Product Application Gallery













Field Fence

Field fence is also named as Grassland Fence ,Farm Fencing,Horse Fence,Sh eep Fence,Woven Wire ,Field Fence, stock fencing, cattle fence,hinge joint fiel d fence.It is used for grassland, protection of ecological projects, grassland, forestry, highway and environment. Farm fence is manufactured in a wide selection of heights and styles featuring a graduated spacing that starts with small openings at the bottom which helps prevent entry from small animals. The hinge-lock knot allows the fencing to give under pressure and spring back into shape.

Material: High quality galvanized wire

Type: Fixed knot, Hinge joint knot

Feature:

- 1. Simple structure with less weight.
- 2. Strong enough to keep livestock animals and retain its shape after fierce striking from aggressive livestock.

Tight knots avoid two wires sliding along each other.

3. Superb rust and corrosion resistance owing to its heavy zinc coating.

Ensure a solid construction over any terrain.


- 4. Available in various spacing configurations to keep horses, sheep, cattle, hogs and other animals.
- 5. Easy to install in conjunction with timber stake or other post.
- 6. Short installation period but long service life.
- 7. Ease of transportation and ventilation.
- 8. Easy to maintain using minimal cost.

Application:

- 1. Protect ranch, farm.
- 2. Protect the forest and environment.
- 3. Field fence for livestock.
- 4. Isolation of livestock and projects.

Hinge joint fence also known as hinge knotted field fence. Galvanized steel stay wire are individually cut and wrapped on the horizontal line wire, the robust hinge joints eliminated unwieldy wraps, twists and ties. The unique sturdy but flexible structure provides maximum strength and tensile strength to withstand impact from horse, cows, pigs, deer and goats.

The height, length, and wire diameter are all can be customized by your request.



Top and bottom wire

•Diameter: 2.5 mm.

•Tensile strength: ≥ 710 N/mm².

Other wires

•Diameter: 1.9 mm.


Tensile strength: 440-540 N/mm².

Lighter grade field fence for less destructive applications. Generally recommended for sheep and goats

Fixed knot fence


Traditional field fences use a hinged joint knot to join the vertical and horizontal line wires and that can cause the knot to slide. A fixed knot provides a separate piece of wire to lock together vertical stays to line wire, increasing the strength of the fence. This also allows for wider spacing between posts, thus requiring fewer posts. A fixed knot fence will not break under heavy pressure, unless the wire itself breaks. This will save time and money on maintenance of the fence.

Fixed knot fencing is also available in **a variety of** sizes and spacing. The wire is covered with a tough layer of galvanizing and is available in Commercial, Class 1, and Class 3 zinc.



This knot also uses a separated wire to wrap the vertical and horizontal wire together, which increases the strength of the vertical wire. It is more stronger than square knot,so this knot can prevent the crash of livestock and resist snowstorm

Simple in structure and less weight. Strong enough to keep livestock animals and retain its shape after fierce striking from aggressive livestock.






Table 1: Specification of Hinge Joint Fence

Code	Filler Wire Gauge	Top and Bottom Wire Gauge	Vertical Wire Spacing	Finishing	Fence Height	Roll Length	Roll weight
HHFF-1	9	9	6"	Class 1	47"	330"	396lbs
HHFF-2	9	9	12"	Class 1	47"	330"	295lbs
HHFF-3	11	9	6"	Class 1	32"	330"	210lbs
HHFF-4	11	9	6"	Class 1	39"	330"	241lbs
HHFF-5	11	9	6"	Class 1	47"	330"	290lbs
HHFF-6	11	9	12"	Class 1	39"	330"	185lbs
HHFF-7	11	9	12"	Class 1	47"	330"	208lbs
HHFF-8	12 1/2	10	6"	Class 1	26"	330"	1 28lbs
HHFF-9	12 1/2	10	6"	Class 1	32"	330"	148lbs
HHFF-10	12 1/2	10	6"	Class 1	39"	330"	169lbs
HHFF-1 1	12 1/2	10	6"	Class 1	47"	330"	1 92lbs

HHFF-12	12 1/2	10	12"	Class 1	32"	330"	116lbs
HHFF-13	12 1/2	10	12"	Class 1	39"	330"	131lbs
HHFF-14	12 1/2	10	12"	Class 1	47"	330"	146lbs
HHFF-15	14 1/2	11	6"	Class 1	32"	330"	90lbs
HHFF-16	14 1/2	11	6"	Class 1	39"	330"	102lbs
HHFF-17	14 1/2	12 1/2	6"	Class3	39"	330"	98lbs
HHFF-18	14 1/2	12 1/2	6"	Class3	47"	330"	11 1lbs
HHFF-19	12 1/2	10 1/2	6"	Class3	39"	330"	174lbs
HHFF-20	12 1/2	10 1/2	6"	Class3	47"	330"	1 98lbs
HHFF-21	11	9	9"	Class 3	42"	330"	193lbs
HHFF-22	11	9	9"	Class 1	48"	330"	217lbs
HHFF-23	13	10 1/2	6"	Commercial	39"	330"	151lbs
HHFF-24	13	10 1/2	6"	Commercial	47"	330"	173lbs

Spacing of horizontal wire:

Vertical wire spacing 16: 6+6" +6"

Table 2: Specification of Fixed knot Fence

Code	Filler Wire Gauge	Top and Bottom Wire Gauge	Vertical Wire Spacing	Finishing	Fence Height	Roll Length	Roll weight
FHFF-1	9 3/4	9 3/4	16"	Class 1	42"	330"	155lbs
FHFF-2	9 3/4	9 3/4	16"	Class1	42"	330"	182lbs
FHFF-3	9 3/4	9 3/4	16"	Class	48"	330"	203lbs
FHFF-4	9 3/4	9 3/4	16"	Class 1	42"	660"	358lbs
FHFF-5	9 3/4	9 3/4	16"	Class 1	48"	660"	405lbs
FHFF-6	9 3/4	9 3/4	16"	Class3	42"	300"	201lbs
FHFF-7	9 3/4	9 3/4	16"	Class3	48"	330"	201lbs

FHFF-8	93/4	9 3/4	16"	Class3	48"	660"	402lbs
FHFF-9	12 1/2	12 1/2	12"	Class3	42"	330"	106lbs
FHFF-10	12 1/2	12 1/2	12"	Class 3	49"	330"	128lbs
FHFF-11	12 1/2	12 1/2	12"	Class3	42"	660"	223lbs
FHFF-12	12 1/2	12 1/2	12"	Class3	49"	660"	255lbs

Spacing of horizontal wire:

Vertical wire spacing6"or12:3"+312+4+41/2+5+51/2+6+7+8

Vertical wire spacing9":6"+6"+6"+6"+6"6+6+6",4"+5"+6"+6"+6"+7"+7+7

Product Application Gallery











Temporary Fence

Temporary fence, also known as mobile fence, portable fence, is a kind of very popular temporary fencing in Canada and North America. It is an economical but efficient fencing type. It is ideal for construction sites and other sectioning-off areas to prevent unauthorized access. Temporary fencing is a modular and steady system for isolation & protection work of construction sites, accidents scene, municipal engineering, commercial area, residential use.

Temporary Fence Type:

Welded temporary fence

Chain link temporary fence

Temporary Fence Panel Can Be Welded Steel, Chain Link Woven Or Tube, Customized According To Australian And Canadian Standards

Our temporary fencing systems can quickly and easily be installed, without the need to disturb the surface area by digging holes or laying foundations.



Temporary chain link fence is made up of chain link mesh panels weaved by hot dip galvanized steel wire, tubular welded frame, clamps and stable fencing block. All panels are hand made by traditional craft from beginning to end. Technical workers use tension bars and tension bands to wrap the tie wire tightly around the tubular frame. And then a self-supporting and modular temporary fencing system is formed. As an economical and efficient fencing type, it is ideal for high-rise commercial construction sites, home developments, highway projects, store front renovations. Sandbags are a frequently requested add-on used to increase the overall constancy of a long line of panels. Our chain link temporary fence come in variety of widths, easy set-up and tear-down, give you flexibility upon installation and save you time and money!

Material	Low carbon steel
Surface treatment	Hot dipped galvanized
Fence height	4ft, 6ft, 8ft or customized size
Fence length	10ft, 12ft, 14ft, or customized size
Wire diameter	2.5mm, 2.7mm, 3mm, 3.5mm, 4mm, etc.
Frame tube	O.D. 32mm, 33.4mm, 42mm, etc.
Cross brace tube	O.D. 25mm or 32mm, etc.
Base size	610x590mm, 762x460mm, etc.
Chain link mesh size	50x50mm, 60x60mm, etc.



Temporary welded fence

Temporary welded fence a kind of very popular temporary fencing in Canada and North America. The key feature of temporary welded fence is the solid frame welded by square or round pipes, fence panels shipped assembled, The temporary fence can be installed fast with just a couple nuts bolts and saddle clamps. No need to dig holes, convenient for emergency situations. Galvanized temporary welded fence can remaining intact after moved over and over again, easy to transport and store after the project is done. As an economical and efficient fencing type, temporary welded fence is ideal for isolation & protection work of construction sites, accidents scene, municipal engineering, commercial area.

Temporary Fence Common Specification						
Wire Gauge	3.2mm, 3.5mm, 4.0mm, 4.5mm or as request					
Opening Mesh	60*150mm, 75*75mm, 75*100mm, 50*100mm etc					
Fence Frame Pipe	32mm O.D., 38mm O.D., 40mm O.D., 42mm O.D., 48mm O.D. etc.					
Regular Size	2.1*2.4m, 1.8*2.4m, 2.1*2.9m, or as request					
Plastic Feet	600*220*150mm, or 580*245*130mm					
Surface Treatment	Hot-dipped galvanized or electric galvanized					
Part	Welded mesh Panel, Round Tube Frames, Plastic feet Clamp, Stay\Support					
Temporary Welde	d Fence Popular Size					
Wire Diameter	3mm					
Mesh Opening	60x150mm					
Panel Size	2100x2400mm					
Vertical Pipe Size	O.D. 32mmx2.0mm, 150mm left at top and bottom					
Horizontal Pipe Size	O.D. 32mmx2.0mm					

Base Plate	600x220x150mm
Part	Welded mesh Panel, Round Tube Frames, Plastic feet Clamp, Stay\Support













Fence Post

Fencing posts are the backbone and strength to your fence system as your fence posts support the fencing itself, so they need to be made of a durable material and installed properly to do their job. While preparing to construct your fence, we recommend metal fence post ,which is durable, lightweight and easy to install, choosing a good post does not only depend on your fencing and land, but also the animals you are raising and your budget, this fence post is excellent for prolonged longevity and low-maintenance fencing, we can offer mobile posts in various types and sizes ,not only use for fence system but also wildly used to protect gardens, fix plants, such as tomatoes, grapes and trees etc.







Y Fence Post

Protective wire mesh fencing of express highway and express railway Security fencing of beach farming, fish farming and salt farm

T Fence Post

Security of forestry and forestry source protection Isolation and protecting husbandry and water sources

U Fence Post

U-posts are available in durable rust-resistant green PVC coating, excellent for supporting lighterweight fencing materials.

Application: Farm Fence Support Piles

Together Work with: Barbed Wire, Hexagonal Wire Netting, Electric Fence, Field Fence, Deer Fence, etc.

Popular Size: 1.58kgs/meter, 2.04kgs/meter


Popular Length: 1.5meter, 1.8meter, 2.0meter, 2.1meter, 2.4meter


Weight per meters:1.58kg / m,1.86 kg / meters 1.9 kg / meters ,2.04 kg / meters

Length: 450 mm , 600 mm , 700 mm , 900 mm , 1350 mm , 1500 mm , 1650 mm , 1800 mm , 2100 mm , 2400 mm

Material: Q235 OR rail steel, according to standard of A702-89 United states standard.

Finishing: black bitumen coating or hot dipped galvanized















Vineyard post: Vineyard post, also called vineyard stake, vineyard trellis stake and grape trellis. It is a type of post for supporting grape and other fruit normal growth in vineyard, orchard, grape manor and agriculture plantation and farming. The installation of vineyard post is very simple, it needs no special tools and few labors compared with wooden vineyard post. The vineyard post is commonly made of hot dipped galvanized or PVC coating, guaranteed corrosion-resistant for up to 25 years. Hot rolled steel strip material protect your fruit to stand up with high wind and heavy weight .Higher strength than traditional wooden post, longer service life, low maintenance ,increase your profitability. The metal vineyard trellis post is an ideal choice for your vineyard.



Common Specification:

Material: Hot Dip Zinc Coated Steel Coil Sheet, EN10327-DX51D


Section size: 50x30mm, 50x34mm, 60x40mm

Thickness: 1.5mm, 2.0mm, 2.5mm

Height: 1500mm, 1800mm, 2200mm, 2400mm, 2800mm, etc.

Finish: a). Hot dipped galvanized, Zinc coating >275g/m2

b). Electric Galvanize











Post Clips

Wire clips are made of 11½ gauges heavy duty galvanized wire. It fits standard size 1.25 and 1.33 lb. studded t-posts. Just a half turn around the wire is all it takes to easily install. The ends of the wire fence clips' fasteners are formed to provide tension when installed in order to keep the line wire tight against the post. Post wire clips usually use for attaching silt fence, barbed wire, smooth wire field fence or high tensile fence to t-posts, keeps barbed wire or woven field fence secure. Being lightweight and easy to use, Galvanized finish, Twisted-and-turned design, rust resistant and low cost makes T-Post wire clips ideal choice for growers.







Wire Fence Staples

Whether you rely on a wire fence to keep your animals safe, or to mark a boundary, each strand of wire serves little purpose without the fence staples that hold it in place. Fencing staples are U-shaped with sharp points, used to fix fencing line wire securely to square or rounded wooden fencing posts. The larger the wire staple the greater the hold will be, heavily galvanized U staples can protect against corrosion and rust, stand temperature variation for a prolonged time. Fencing-nails can also fix rabbit wire, chicken wire, welded wire mesh and agricultural fences to timber stakes and posts, Used with any barbed wire, smooth wire or woven wire, easy to hammer, essential fixing accessory for your farm fence.

FEATURE

- 1. Designed for gardening and agriculture.
- 2. U shaped head for binding the wires in position.

- 3. Slice cut sharp point for easy operation.
- 4. Great staying power and resistant to bending.
- 5. Polished, copper-plated & galvanized for rust resistance. Complete gauges,
- 6.length and sizes are available.

SPECIFICATION

Material: carbon steel Q195, Q235.

Diameter: 9–16 gauge; Length: 3/4" –2"; Head type: U shape.

Shank type: smooth or barbed.

Shank diameter: 1.0 to 6.5 mm.


Point: diamond point, cut point.

Surface treatment: bright, electro galvanized, polished, copper-plated.

Standard: ASTM F1667, ASTM A153.

Package: 11 lbs. per box, 2 lbs. per box or bag, 1 lb. per bag, 55 lbs. per carton

and as your request.








...... FENCE STAPLES www.ysmetalfence.com






GARDEN PRODUCT





Decorative Garden Fence

Decorative Garden Fence also called garden border edging fence, it is the basic necessity when your lovely garden is finished to protect the immature flowers and vegetables grow healthy. Thus decorative border fencing can be used to keep the small animals out, to a certain extent. Besides, we can use the flexible fencing surrounding the trees or shrubs plants in your garden. Defining the different planting areas is also an ideal choice.



Garden Border Fence Specification Details							
Mesh(mm)	Wire Size(mm)	Width(m)	Length(m)	Weight(kg)	Roll Diameter(cm)		
150x90	1.3/2.3-1.9/3.0	25	10	2.83	23		
150x90	1.3/2.3-1.9/3.0	40	10	3.62	23		
150x90	1.3/2.3-1.9/3.0	65	10	5.21	23		
150x90	1.3/2.3-1.9/3.0	90	10	6.81	23		
150x90	1.3/2.3-1.9/3.0	120	10	6.31	23		
150x90	1.3/2.3-1.9/3.0	25	25	7.12	33		
150x90	1.3/2.3-1.9/3.0	40	25	9.05	33		
150x90	1.3/2.3-1.9/3.0	65	25	13.1	33		
150x90	1.3/2.3-1.9/3.0	90	25	17.1	33		

Material: Steel iron wire, stainless iron wire, Galvanized wire, PVC coated wire,

Color: White, Green, Blue ,etc.



Easy cut to different size or length: The Length Depends on Your Needs: you could pull out the arched panel wire and cut off the twisted horizontal wires as your needed length. Easy to install in your garden as well when you decor or protect your garden, patio, pathway, vegetable filed or orchard.













Garden Pond Fence

Garden pond fence is made of iron wire to be welded into fence with machine, then powder coated with green color. The mesh fence is versatile - as a child protection fence for ponds, streams and pools, as a garden boundary, garden fence, and camping fence or as an animal enclosure and puppy outlet.


Due to the natural and simple color, the pond fences can be ideally integrated into any garden environment. The uncomplicated construction is suitable for everyone and can be handled without additional tools.

Material: Steel, including clamps for attachment. Metal powder coated green RAL 6005 protects the set from rust additionally.



Fence Keeps Small Animals Out of Your Garden

Specifications		
Material	Low Carbon Steel Wire	
Size	650*710mm	
Wire diameter	4/2.5mm	
Color	Green	
Surface treatment	Powder coated	
Packing	1set/carton	
MOQ	100sets	
Application	Outdoor Garden Fence	





The boundary pond fence is used as a child protection fence for ponds, streams and pools, as a garden boundary, garden fence, and camping fence or as an animal enclosure and puppy outlet. The small fence prevents anyone from getting too close to the edge and falling into the water.









Garden Gate

Powder Coated Metal Garden Gate

Euro Coated welded wire fencing Garden Gate was made of hot-dipped galvanized wire with Green or Black Powder Coated. With Great Rot-proof Ability, Solid Shape and Beautiful Appearance, It was widely supplied in Europe Market like Germany, France, Sweden, Italy, etc.

All gate panels are professionally welded, we adopt pre hot dipped galvanized or powder coated to make it anti- corrosion & aging for prolonged use. Each metal garden gate fitted with a safety lock and three sets of keys, plus the mounting posts and bolt hinges, the installation work is very easy.

Single Leaf Swing Garden Gate

Single metal garden gate is consisting of welded steel mesh panel and stable post, there is round or square tubular post optional. It is decorative and safe for garden, hedges, patio or terrace to create a walkway to your manor. We also offer double metal garden gate for garden driveway requirement



Double Leaf Swing Garden Gate

Double metal garden gate is manufactured from heavy duty steel, mainly including gate panel which in filled with welded wire mesh and stable posts made of round or square tube. The double leaf design allows any opening angle up to 180°. It is practical and safety for create a driveway to your manor.



Double Leaf Gate

Dimension: 180cmX500cm Wire Diameter: 4.0mm,
Mesh: 50mmX50mm Post: 60mmX1.5mm Frame:

40mmX1.2mm

Material: Low Carbon Steel Wire Surface treatment: Powder coated

Product Packaging Details: plastic filled inside per set, carton box outside


per set, then on pallet or as customer request


Product Feature: Easily Assembled, ECO FRIENDLY, FSC

Garden Gate Dimensions

Garden	Post Dia.	Frame Dia.	Wire Dia.	Mesh	Door Size	Post Height
Gate (cm)	(mm)	(mm)	(mm)	(mm)	(cm)	(cm)
100×100	60×1.5	40×1.2	4	50×50	100*87	150
100×120	60×1.5	40×1.2	4	50×50	120*87	170
100×125	60×1.5	40×1.2	4	50×50	125*87	175
100×150	60×1.5	40×1.2	4	50×50	150*87	200
100×175	60×1.5	40×1.2	4	50×50	175*87	225
100×180	60×1.5	40×1.2	4	50×50	180*87	230
100×200	60×1.5	40×1.2	4	50×50	200*87	250

Gate Type	Frame Type	Post Type	Wire Diameter	Mesh Opening
Single Gate or	Round Tube or	Round Tube or	4mm or 5mm	50mmX50mm,
Double Gate	Square Tube	Square Tube		50mmX100mm
				50mmX200mm

































Garden Gabion Fence

For a unique look in your garden you can choose Gabion fence. If you prefer more sleek and modern styles, you can select garden gabions. Gabions are a creative design and versatile solution of separating a yard or garden. Welded gabion basket is manufactured from galvanized mild tensile steel wire, anti-corrosion for a long service life up to 30 years. With spiral joints used to connect adjacent panels and prevent the basket from bulging, simply clip together to assembly. They are maintenance free and very durable. Gabion walls can be widely styles to satisfy your various designs. Such as retaining walls, beds, planters, benches and much more! You can sit them within each other to give a curved effect, methodically to presenting a new look in your gardens, terrace, parks and buildings for build a decorative but sturdy landscaping.



Specification:

Material: Heavy duty steel wire.

Style: Circle, arch, square, rectangle, etc.

Wire Diameter: 4-8 mm.

Mesh Size: 5×5 , 7.5×7.5 , 5×10 cm, etc.

Gabion post box: $44 \times 31 \times 143$ cm.

Circle gabion box: $180 \times 10 \times 90$, $180 \times 50 \times 90$, $160 \times 10 \times 70$,

Surface Treatment: Hot dipped galvanized, PVC coated.

Color: Rich black, dark green, sliver or customized.

Components: Spiral joint, internal bracing wire.



Table 1: Specification of Garden Gabion Basket Gabion Size (mm) Wire Diameter Mesh Size Weight L×W×H mm cm kg $100 \times 30 \times 50$ 7.5×7.5 10 100 × 30 × 80 7.5×7.5 14 $100 \times 30 \times 100$ 7.5×7.5 16 $100 \times 50 \times 50$ 7.5×7.5 20 $100 \times 50 \times 100$ 7.5×7.5 22 $100 \times 10 \times 25$ 7.5×7.5





Tree Guard Fence

Electro &Hot dipped galvanized wire mesh is used as tree guards to protect trees from browsing animals including rabbits, hare, and deer. These wire mesh tree protection guards are also installed in public amenity areas, parks, play areas and visitor attraction to stop dogs and the public from damaging newly planted saplings or young trees. We supply a range of mesh apertures from 50 x 50mm, 50×25 mm and 75×25 mm and in various wire thicknesses. Supplied on rolls the mesh can be cut to form the diameter of tree protection guard required.

PVC coated welded wire mesh tree guards offers a longer lasting and more aesthetically-pleasing option to the purely galvanized product. It can also be used to protect small trees against grazing stock or for use in the urban environment. All variants are supplied in green, giving a more visually pleasing finish and ultimately blending in better with the surrounding environment



Material: Low carbon steel wire, stainless steel wire.

Feature:

High quality steel wire

Easily assembled

Novel design, Practical, Rust resistant

Surface treatment: black power coated, pvc coated, hot dipped

Electro galvanized zinc

Weld mesh tree guards specification

Mesh	Gauge	Height
3 x 1" (75 x 25mm)	10g	72" (1830mm)
3 x 1" (75 x 25mm)	10g	60" (1525mm)
3 x 1" (75 x 25mm)	10g	48" (1220mm)
3 x 1" (75 x 25mm)	10g	36" (915mm)
3 x 1" (75 x 25mm)	12g	72" (1830mm)
3 x 1" (75 x 25mm)	12g	60" (1525mm)
3 x 1" (75 x 25mm)	12g	48" (1220mm)
3 x 1" (75 x 25mm)	12g	36" (915mm)









Garden Cucumber Trellis

Cucumber trellis also named zucchini trellis, which is made of high quality galvanized steel wire with powder or poly coated finish. The steel wire forms grid panel with welded technology Long vines grows up on both side and climb along the tent-shaped support trellis. The large grid opening keep better fruits upright yet zero defects and easier picking.it can be used with two grid panel to form a A-shape trellis. Also it can be used with one grid panel and two stakes. The lean-designed shape allows your plants grow on both sides or makes the long vines climb other sides. Besides, you can plant cool-season plants in the shade under the trellis

Cucumber trellis ideas, tips, & inspiration to help you grow healthier and more productive plant





Specification:

Material: galvanized steel wire

Wire diameter: 7mm.

Grid opening: $4" \times 4"$, $6" \times 8"$.

Size: 17-3/4" W \times 58" H, 32" W \times 48" H, 34" W \times 48" H. Surface

Treatment: powder coated, or poly coated. Color: red, green, gray

Feature:

Rust resistance.

Save space.

Keep cucumbers straight, clean, and unblemished.

Increases harvest and minimizes diseases.

Install quickly.

Used in raised beds or gardens.

Folds flat for storage off-season storage.



Material: Heavy duty steel wire.

Wire Diameter: 9, 10, 11 gauge

optional.

Height: 30 cm, 50 cm, 80 cm.

Width: 25 cm, 30 cm, 50 cm.

Legs Number: 1 or 2.

Process: Welding.

Surface Treatment: Powder coated,

PVC coated.

Color: Rich black, white, or

customized.



cucumber trellis is great for many other fruits and vegetables such as tomatoes, squash, grapes, and many more to. Our mesh wire panels are made of galvanized steel for outdoor durability and weather-resistant - perfect for your outdoor yard, planting, and gardening needs!





Tomato Cage

Tomato cage is referring to round tomato cage which fully welding of heavy steel wires, similar function with tomato tower. Round tomato cages can supply all-round support for vine plants, such as tomatoes, hot peppers, peas, cucumbers, squash & zucchini, strawberries and raspberry, etc.,

Powder or PVC coated makes the cages anti-rust, ECO friendly and reusable. You can use it upside down for potted tomatoes if you want. Also you can easy to take up at the end of the season for storage.

Tomato cages can keep your vegetable upright without tied, easy assembly and stacked. Lattice-shaped column support can prevent fruits fall to the ground and reduce the second damage fruits caused by pests and disease.





Tomato Cage Specification Details:

Height	circle	circle size(cm)	Carton	Weight(kg)
(cm)	number		size(cm)	
45cm	3	14/16/18	46*30*38cm	9kg
60cm	3	18/20/22	60*33*38cm	12kg
75cm	3	24/26/30	79*33*38cm	15kg
90cm	3	26/28/30	92*33*38cm	17kg
120cm	4	26/28/30/32	122*36*30cm	20kg
150cm	5	27/29/31/33/35	151*38*30cm	23kg
Finish:	Powder Coating or Galvanized			
Color	Antique Black, White, Natural Rust, Zinc, As to customers' needs			
Material	Iron Wire or strip (Round. Square, Flat)			
Length	1000mm-1800mm			


Tomato Tower

Super-Sturdy Tomato Cages Support Heavy Yields

Tomato tower is also a favorite way for tomatoes which alike to round tomato cage in function. It offers all-round support and an ample space for supported plants to grow upright without tying. Tiered supporting rings keep plants & fruits get off the ground and ensure air permeability, first-class fruit quality, reduce the disease.

Extra-strong tomato cages keep tomato plants upright for a bigger, cleaner harvest, Big, 8" square openings make harvesting easy

Hinged panels fold flat for compact storage.



Product Details

Material	Galvanized wire, powder coating wire
Size:	40"-72" Height
Wire Diameter:	Gauge 9, 10,11 or as required
Shape:	Square tomato cage
Rings	3Rings, 5Rings, 6 Rings,7Rings,8Rings
Legs	3Legs, 4 Legs
Surface treatment	galvanized or powder coated
Color	green, red, silver, yellow, blue, etc.



Square tomato towers are great for supporting fructuous and vining plants, such as tomatoes, hot peppers, pole beans, cucumbers, squash and zucchini, etc. Cages fold for easy off-season storage.





Garden Plant Support Stakes

Plant supports are made of high quality steel wire with vinyl coated finish. The supports are available in ring and hook head styles which make it easy to gather branches and stems to offer a strong support. Both ring and hook style head supports allow the plants to get in easily and sway gently in the wind. The supports can be pushed deep into the soil easily for providing stable support. It is lighter than bow plant supports. It is a perfect plant support for tall flowers or young fast-growing plants. It ensure your flowers and plants grow straightly. Its idle for indoors, outdoors and greenhouse.



This support can be easily pushed deep into the ground for upper plant stability. High temperature powder coated to give a durable weather resistant finish.



Specification:

Material: galvanized steel wire.

Height: 24", 36", 40", 44", 48", 54".

Diameter: 1.5", 2", 2.25", 2.38", 2.75", 3", 3.5".


Surface treatment: vinyl coated.

Type: ring or hook shape or other type.



Wire Composter Bin

Wire compost bin is made out of plastic coated sturdy steel so it will stand up to the elements. It can be easily erected and will hold up to 15.6 cu feet of compost. Easily use 4 spiral clasps to fit the panels together and fold flat to storage when not in use. In addition, there are various sizes provided for you which can be combining for separating different types of waste materials. Such as cooking compost, yard waste compost and finished compost.



Specification Details

Material: Heavy duty steel wire. Process: Welding.

Size: $30" \times 30" \times 36", 36" \times 36" \times 30", 48" \times 48" \times 36",$ etc.

Wire Diameter: 2.0 mm., Frame diameter: 4.0 mm.

Mesh opening: 40×60 , 45×100 , 50×100 mm, or customized.

Surface Treatment: Powder coated, PVC coated.

Color: Rich black, dark green, anthracite grey or customized.

Assembly: Connected with spiral clasps or other connectors as your request.







INTEGRITY PROFESSIONAL AND EFFICIENT







SOD Staples

SOD Staples is also called U Staples, Ground Cloth Staples, Landscape Fabrics Staples, Weed mat Pins, Irrigation Staples, Irrigation Drip Tubing Staples, Soaker Hoses Staples, etc. Galvanized Garden Staples are Hot Dipped Galvanized for rust prevention and to increase the durability. To top this up, the staples are Zinc coated to enhance the rust prevention. The Galvanized Staples are ideal for securing ground sheets, netting, garden pipes, weed fabric, landscape fabric, bark coverings, hoses, cables, artificial grass, polythene sheets, netting etc.







Product Description:


Type: U-shaped nail

Material: hot-dip galvanizing

Size: 3mm*35mm*150mm



Hundreds commercial and professional uses with: Landscape fabric, Geo cloth, ground tissues, turf saver, burlap, fleece, like rabbits, squirrels, gophers... keep dogs and other animals digging in your gardens and beds, also to secure and pin down deer and bird nets, and much more. Best gardening tool to enhance your home, patio, garden, raising bed, landscaping projects



Features:

- 1. U-shaped nail has a smooth surface and a beveled surface. It does not pollute the land, which is convenient for installation and environmental protection.
- 2. Green U shape part, more beautiful
- 3. Surface galvanized, anti-rust
- 4. Manufactured from hardened steel, galvanized for corrosion protection
- **5.** Beveled ends for easy penetration.
- 6. Easy to installation and construction.

Animal Cage

Wire dog crates, also called dog training crates or dog training cages, They are specially designed for pets training and breeding system. This wire dog crate is one of the best values in its category. It's durable enough to last for years and comes in sizes for all dogs. Durable design creates a safe place for your pet while you're away & provides for your dog's instinctual "den" instincts.




- Two main different surface treatments
- hot dipped galvanized surface powder coating surface

Available in powder coated or galvanized finish. Modular in design so you can add panels or gates to meet your needs.

Specifications

	Dia32mm frame pipe and Heavy Dia3.8mm/Dia4mm black welded mesh	
Modular panel size available (W*H)	1m *1.2m; 1.5m * 1.8m;2m *1m 2m *1.8m; 2m *1.7m; 2m *2.2m	
	6ft x 4ft x 4ft, 6ft x 4ft x 6ft ,6 ft x 4ft x 8ft or custom size	
Product Color	Black or custom as your required	
Surface:	Black (Metal Grey)Powder Coated	

- -A front and a side door for convenience
- Durable antirust black epoxy coating
- Set-up and fold-down in seconds, no tools needed
- Metal Pan
- -Folds for storage or travel
- - Ideal for all pets, pregnant or sick animal
- Perfect for indoor and outdoor use
- Carry handle for easy transportation







Animal/Dog Exercise Pen


Do you want have an indoor dog pen to provide your pet with more space to move around while still confining him to a specific area .Outdoor dog pens allow you to keep your dog in your yard without a fence, give your dog the ability to play outside unsupervised and off-leash, give your pup space to play and hang around in the outdoors. This exercise pen can be with or without a door. It comes with 8 ground anchors and a durable e-coat finish to protect against rust and other elements for outdoor use. No tools required for assembly a safe and secure play area for dogs, cats and rabbits, whether indoors or outside. If you dogs need a larger play area, or you have multiple pets, you can connect two exercise pens together using the included snap hooks or make it to different shapes you want .Also you can use this fence as a playpen, training pen, or portable exercise yard.











Not Just for Dogs

New World Exercise Pens are great for any adult non-climing animals.



Wire Spacing is 2" W x 3" H

Different shapes you can configure according to your room space







Kennel Size	24ft,32ft,40ft or custom size	
Product Color	Black or custom as your required	
Surface:	Durable Black E-Coat Finish	
Features	Practical shape, intimate detail design, strong and durable,	
	Capacious Space, simple and quick install	

Animal Trap Cage

Made from quality rust resistant galvanized iron wire, this humane animal trap cage is built to last for years. Featuring a spring loaded door trap with protected handle and an automatic locking system that is swift in operation; this cage is designed to ensure safety of both animals and users.



Collapsible traps have a Space Saving Design for easy storage. When ready to use, just lift the handle and the trap pops into place! Constructed of sturdy wire mesh with steel reinforcements for long life, and galvanized for maximum resistance to rust and corrosion. Mesh openings are smaller than competing traps of comparable size to prevent escapes and stolen bait. Spring loaded door and sensitive trigger ensure quick, secure captures. Solid door and handle guard protect user during transportation, while smoothed internal edges protect and prevent injuries to animals.



This collapsible cage is easy to assemble with a few clicks and no tools are required. Easy to transport and store this cage is perfect for gardeners and homeowners who want a safe, efficient and humane way to rid themselves of pests. Small animal trap cages are generally used to catch mice and voles. Medium trap cages are for capturing squirrels, rabbits, cats and raccoons. Large animal trap cages are used to capture stray dogs.





Durable Traps are Built to Last

The ANT MARCH Large one-Door Animal Trap is designed to remain reliable and sturdy enough to withstand the pressures of outdoor conditions as well as the unruly animals you may trap. Each trap is constructed with rust-resistant, galvanized, 12-gauge wire mesh that provides longlasting protection for your property from damage-causing animal pests.



Innovative Safety Features

Safety for both people and animals is always a priority when designing a trap. The Large 1-Door Animal Trap is no exception. The spring-loaded door ensures the animal remains securely inside until its time of release and helps to prevent escapes while the large handle guard minimizes the chance of contact between you and the animal during transport. Inside the trap, the edges are smoothed to prevent injuries to the animal during its time in the trap..

Specification Details


Materials	Dimensions	Weight	Number of Doors	Door Type
Galvanized steel; one-piece	31.98"x10.6" x 12.14"	9.95 lb.	1	Spring-loaded
12-gaugewire	36" x 10" x 12"	12.75 lb.	2	Spring-loaded
mesh; plastic	32" x 10.5" x 12.5	10.26 lb.	1	Spring-loaded
carrying handle	32" x 10" x 12"	13.25 lb.	1	Spring-loaded







HOW TO SET UP THE CAGE:



- 1. Cut off the fixed cable ties. 2. Take out the rear door lock. 3. Unfold the cage.
- 4. Fix the cage shape by pressing the "U" support arm into the fixing clip. 5. Secure the rear door with the rear door lock. 6. Connect the trigger arm to the pedal (Image-4) and the "U" hook in the front door. 7. Press the front door lock with your thumb and pick up the front door, then carefully hand the door on the trigger hook that connected to the trigger arm. 8. Fully assembled and ready to use.




Partial of Products & Packing & Shipping




























Standard Wire Gauge (SWG) to Millimeter Conversion Chart

Gauge	mm Diameter	Common Uses
8g.	4	
9g.	3. 5	
10g.	3	Welded mesh (50mm aperture):Security fencing, strong garden fencinglarge-dog enclosures
12g.	2. 5	 Welded mesh (50 mm aperture): Security fencing, garden fencing large-dog enclosures, sheep, deer & goat fencing
14g.	2	 Welded mesh (25mm - 50mm aperture): Garden fencing medium-dog enclosures, fox, sheep, deer, goat fencing
15g.	1.8	
		<pre>Welded mesh (13mm - 25mm aperture):</pre>
16g.	1.6	• Garden fencing. Small-dog enclosures

	www.ysmetalfence.com	
• • • • • • • • • • • • • • • • • • • •	www.ysinetanence.com	





Company Information:

Dress: HuangHua Economic Development Zone, HeBei Province

Tel: 0086 -0317-5627321

Fax: 0086 -0317-5627321

Email: jessie@ysmetalfence.com

info@ysmetalfence.com

WHATS APP: 15076761936

Web: www.ysmetalfence.com